

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Previously Presented) A method of configuring a system comprising:
 - a main device and an auxiliary device arranged to co-operate with each other, the main device being arranged to handle one or more functionalities, the auxiliary device being arranged to effect one or more functionalities;
 - wherein the method comprises an adaptation step, in which the auxiliary device performs a first enumeration of its functionalities to the main device;
 - wherein the method further comprises an enumeration step in which the auxiliary device performs a second enumeration of its functionalities to the main device; and
 - wherein the second enumeration hides from the main device at least those of its functionalities for which the main device is not arranged to handle.
2. (Previously Presented) The method according to claim 1, wherein the adaptation step comprises the following sub-steps:
 - a notification step, in which the auxiliary device notifies the main device of a set of data corresponding to the first enumeration of the functionalities that the auxiliary device can effect;
 - an identification step, in which the set of data is used to identify the functionalities that the auxiliary device can effect but that the main device cannot handle; and
 - a configuration step, in which the auxiliary device is configured to hide for the second enumeration from the main device at least those of its functionalities that the main device cannot handle.
3. (Previously Presented) The method according to claim 2, wherein the adaptation step is followed by the enumeration step, in which the auxiliary device presents itself to the main device without the functionalities identified in the identification step.

4. (Original) The method according to claim 1, wherein the adaptation step is carried out automatically when connecting the auxiliary device to the main device.
5. (Original) The method according to claim 3, wherein a simulation step is carried out between the adaptation step and the enumeration step, in which the disconnecting and the reconnecting of the auxiliary device is simulated.
6. (Previously Presented) The method according to claim 1, wherein the main device is a USB host and the auxiliary device is a USB device.
7. (Previously Presented) The method according to claim 1, wherein the auxiliary device is a smartcard.
8. (Previously Presented) A system comprising:
 - a main device and an auxiliary device arranged to co-operate with each other, the main device being arranged to handle one or more functionalities, the auxiliary device being arranged to effect one or more functionalities;
 - wherein the auxiliary device performs a first enumeration of its functionalities and a second enumeration of its functionalities to the main device; and
 - wherein the second enumeration hides those of its functionalities for which the main device is not arranged to handle.
9. (Currently Amended) An auxiliary device comprising:
 - a computer readable storage medium, comprising instructions, that when executed cause:
 - a plurality of functionalities[[y]] to cooperate with a main device[[;]], wherein the main device comprises a computer readable storage medium, comprising instructions, that when executed cause: [[is]] arranging[[ed]] the main device to handle one or more functionalities,
 - the auxiliary device ~~being arranged~~ to effect at least one or more of the plurality of functionalities,

14. (New) The system according to claim 13, wherein at least one of the services is required to run an application on the main device
15. (New) The auxiliary device according to claim 9, wherein each of the plurality of functionalities corresponds to a service available on the auxiliary device.
16. (New) The auxiliary device according to claim 15, wherein at least one of the plurality of functionalities is required to run an application on the main device.
17. (New) The computer readable medium according to claim 10, wherein the functionalities are services available on the auxiliary device.
18. (New) The computer readable medium according to claim 17, wherein at least one of the services is required to run an application on the main device.